



# Mat-Su Test Lab, LLC

## Water Quality Testing



Mile 3.2 Palmer-Wasilla Highway  
Midtown Community Business Park  
Phone: (907) 745-3005

Email: [matsutestlab.office@gmail.com](mailto:matsutestlab.office@gmail.com)

9161 East Frontage Road, Suite 15  
Palmer, AK 99645  
Fax: (907) 745-3010

### Nitrate Collection

Name: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Phone#: \_\_\_\_\_

Results/Invoice (Please choose at least one):

Email: \_\_\_\_\_

Fax: \_\_\_\_\_

Hard copy (To be mailed to address listed above)

PUBLIC WATER SYSTEM (PWS) ID#: \_\_\_\_\_

**\*\*Information needed for DEC, from your monitoring summary\*\***

Facility ID: \_\_\_\_\_

Sample Pt. ID: \_\_\_\_\_

Circle One: Routine Test / Repeat Test / Special Purpose

Legal Description: \_\_\_\_\_

Sample Site Location: \_\_\_\_\_  
(I.E. – bathtub, bathroom sink, outside hose bib)

Date Sampled: \_\_\_\_\_ Time Sampled: \_\_\_\_\_ Sampled By: \_\_\_\_\_ Delivered By: \_\_\_\_\_

I Received : \_\_\_\_\_ By: \_\_\_\_\_ Lab #: \_\_\_\_\_

Temperature: \_\_\_\_\_ \*C Preserved: Yes or No

Cooling Media Present: Yes or No Acid Lot #: \_\_\_\_\_

### Directions for Nitrate Collection

1. Use cold water only.
2. Flush line at least three minutes prior to sampling.
3. Fill bottle and RETURN TO THE LABORATORY IN A COOLER ON ICE.
4. Sample must be received by the laboratory within 24 hours of sampling and as close to 4 degrees C as possible
5. Nitrate/Nitrite samples must NEVER be frozen – frozen is defined as the presence of ice crystals.
6. Please keep sample refrigerated/kept cool after sampling and in transit.